


Infrared Spectroscopy

Serving all your needs for Reagents,
Solvents & Equipment



Quality Exceeding Expectations

Sigma-Aldrich offers a comprehensive range of products for your IR spectroscopy needs. Decades of experience in the production and supply of IR suitable reagents and solvents are combined with collaborations with high quality industry leading partners. More than 98% of our products are available from stock and will be delivered to you typically within 24h.

Quality Exceeding Expectations

As a supplier of analytical reagents and standards, quality assurance is of prime importance to us. We employ a comprehensive Quality Assurance System according to EN 29001 and ISO 9001. Each of our products is manufactured to clear, guaranteed specifications.


Find our products at sigma-aldrich.com/ir

Reagents and Solvents for IR Spectroscopy

Our IR reagents and solvents have undergone rigorous purification processes in order to ensure suitability for IR-Spectroscopy. All IR solvents are tested for the absence of foreign absorption bands in the IR spectrum.

Cat. No.	Product Name	Specification	Pack Sizes
31627	Carbon disulfide	≥99.9%, puriss. p.a., ACS reagent, for IR spectroscopy	1 L
87030	Carbon tetrachloride	≥99.5%, for IR spectroscopy	100 mL, 500 mL, 1 L
25670	Chloroform	≥99.5%, for IR spectroscopy	100 mL, 500 mL, 1 L
66743	Dichloromethane	≥99.5%, for IR spectroscopy	250 mL, 1 L
161403	Mineral Oil	for IR spectroscopy	6x12 mL, 1 L
76235	Paraffin Oil	for IR spectroscopy	500 mL
34919	Potassium bromide	for IR spectroscopy	100 g, 6x100 g
378860	Sodium Chloride	optical grade, 99.9% trace metal basis	10 g, 50 g
78520	Tetrachloroethylene	≥99.8%, for IR spectroscopy	100 mL

Sample Holders, Cells and Crystal Windows



Demountable Liquid-Cell Kit

Useful for studying mulls, films, solutions, and viscous liquids. Demountable windows make re-polishing and replacement easy. Order 32 mm windows separately. Liquid cells require a drilled front window and an undrilled back window.



Demountable Gas Cell

For IR analysis of pure gases or mixtures in which the components are present in concentrations of at least 5 to 10%. Cell is readily disassembled for cleaning. Requires two undrilled 32 mm diam. crystal windows (not included).

Description	Cat. No.
Demountable liquid-cell kit	Z112003
Replacement PTFE stopper	Z111996
Replacement PTFE gasket	Z112011
Replacement PTFE O-ring	Z176613
Demountable gas cell, 50 mm path	Z111953
Replacement O-ring and gasket	Z111988



Sealed Pathlength Cells

Complete cells for liquid samples. Cell needle plate is amalgamated to top window to maintain leak proof seal. Accurately calibrated and labeled. Two PTFE-stoppered ports facilitate filling, emptying, and flushing.

Material	Pathlength (mm)	Volume (mL)	Cat. No.
NaCl	0.015	0.09	Z123099
	0.025	0.125	Z123110
	0.05	0.20	Z123137
	0.1	0.35	Z123153
	0.2	0.70	Z123188
	0.5	1.5	Z123218
	1.0	3.0	Z123234

Material	Pathlength (mm)	Volume (mL)	Cat. No.
KBr	0.015	0.09	Z123102
	0.025	0.125	Z123129
	0.05	0.20	Z123145
	0.1	0.35	Z123161
	0.2	0.70	Z123196
	0.5	1.5	Z123226
	1.0	3.0	Z123242



More cells and sample holders for IR spectroscopy

- Magnetic holders and Presslok demountable cell holders
- PTFE, polyethylene and Real Crystal® IR sample cards
- Suprasil® quartz cuvettes with 4 polished windows for Raman spectroscopy

Please find our complete product listing at sigma-aldrich.com/irholders



Round Crystal Windows

Cut and polished quality round crystal windows in a wide variety of sizes, thickness and materials. 32 mm windows are suitable for demountable liquid and gas cell holders and are available in either drilled and undrilled versions.

Material	Diam. × Thickness (mm)	Cat. No.	Note	Material	Diam. × Thickness (mm)	Cat. No.	Note
BaF ₂	25 × 4	Z123625		KRS-5	25 × 2	Z267686	
	32 × 3	Z112135	(undrilled)		25 × 4	Z267694	
	32 × 3	Z112194	(drilled)		32 × 3	Z267708	(undrilled)
			32 × 3		Z267716	(drilled)	
CaF ₂	25 × 2	Z267562		NaCl	25 × 2	Z267724	
	25 × 4	Z267570			25 × 4	Z123595	
	32 × 3	Z267589	(undrilled)		25 × 5	Z267732	
32 × 3	Z267597	(drilled)	32 × 3		Z112100	(undrilled)	
CsI	25 × 4	Z267600			32 × 3	Z112151	(drilled)
Ge	13 × 2	Z267619		Silicon	13 × 2	Z267740	
Irtran-2	25 × 2	Z123633		ZnSe	13 × 2	Z267791	
	32 × 2	Z112143	(undrilled)		25 × 2	Z267805	
	32 × 2	Z112208	(drilled)		25 × 4	Z267813	
KBr	25 × 2	Z267627			32 × 3	Z267821	
	25 × 4	Z123609			32 × 3	Z267848	
	25 × 5	Z267635			49 × 3	Z267856	
	32 × 3	Z112119	(undrilled)		50 × 3	Z267864	
	32 × 3	Z112178	(drilled)				
	38 × 6	Z267643					
	49 × 6	Z267651					
	50 × 3	Z267678					

Rectangular and Trapezoid Crystals

Material	Dimensions (mm)	Cat. No.	Note
NaCl	11 × 30 × 7	Z102776	rectangular, unpolished, for Aldrich adjustable cell holder
	11 × 30 × 7	Z150673	rectangular, polished, for Aldrich adjustable cell holder
	29.5 × 14.5 × 4	Z150673	rectangular, polished, undrilled, for Beckman® Multi-Cell Mount™
	29.5 × 14.5 × 4	Z150681	rectangular, polished, drilled, for Beckman® Multi-Cell Mount™
	38.5 × 19.5 × 4	Z150657	rectangular, polished, undrilled, for Perkin-Elmer® and Wilks holders
	38.5 × 19.5 × 4	Z150665	rectangular, polished, drilled, for Perkin-Elmer® and Wilks holders
KBr	11 × 30 × 7	Z107611	rectangular, unpolished, for Aldrich adjustable cell holder
	11 × 30 × 7	Z108383	rectangular, polished, for Aldrich adjustable cell holder
	29.5 × 14.5 × 4	Z150738	rectangular, polished, undrilled, for Beckman® Multi-Cell Mount™
	29.5 × 14.5 × 4	Z150746	rectangular, polished, drilled, for Beckman® Multi-Cell Mount™
	38.5 × 19.5 × 4	Z150703	rectangular, polished, undrilled, for Perkin-Elmer® and Wilks holders
	38.5 × 19.5 × 4	Z150711	rectangular, polished, drilled, for Perkin-Elmer® and Wilks holders
Ge	50 × 20 × 2 (45° angles)	Z267910	trapezoid, polished, ATR/MIR prism



Need to polish a crystal window? Check our Crystal-polishing Kit (Z111864), which includes all you need to grind, polish or buff common materials such as NaCl, KBr or CsBr.

For a complete listing of our crystal windows for IR spectroscopy, please visit sigma-aldrich.com/irwindows

Tools for Sample Preparation



Aldrich® macro-micro KBr pellet die

Pellet die for producing 13 mm diameter KBr pellets. Used in conjunction with a 12 ton lab press and a vacuum pump, it's capable of reducing pressure to 2 mm, to reduce moisture in the sample. Heavy paper inserts in a variety of smaller apertures are available separately for making micropellets. Consists of hardened stainless steel piston and lower section, black anodized aluminum body, optically polished anvils, Viton® seals.

Aldrich® macro-micro KBr pellet die	Z506699
Replacement anvils	Z506729
Replacement base	Z506702
Replacement plunger	Z506737
Replacement Viton® O-rings for base	Z543365
Replacement Viton® O-rings for plunger	Z543373



Quick Press KBr pellet kit

This hand press is for making transparent KBr pellets (discs). The pellet is formed using only the pressure of a firm handshake applied steadily to the handle. Kit includes a die set for making 7 mm diam. pellets.

Quick Press KBr pellet kit	Z506761
Die set, 2 mm diam.	Z506826
Die set, 4 mm diam.	Z506818
Die set, 7 mm diam.	Z506796
Quick Press SS collar, 2 mm diam.	Z506877
Quick Press SS collar, 4 mm diam.	Z506869
Quick Press SS collar, 7 mm diam.	Z506850
Quick Press hand press only	Z506788
Quick Press sample holder	Z506842



E-Z Press™

12 ton laboratory press with unibody construction designed to work with the Aldrich macro-micro and similar KBr pellet dies. Built-in pressure gauge and pressure release valve provide accurate control of pressure. Press includes removable handle and base.

E-Z Press™	Z285889
Paper inserts, round, 1.5 mm diam., 200 pc.	Z123293
Paper inserts, round, 3.0 mm diam., 200 pc.	Z123323
Paper inserts, round, 5.0 mm diam., 200 pc.	Z123331
Paper inserts, round, 11.0 mm diam., 200 pc.	Z123315
Paper inserts, rectangular, 1.5 × 9 mm, 200 pc.	Z123307



Aldrich IR sample prep kit

Contains tools used for the preparation of samples for KBr pellets and mineral oil mulls. Tools packaged in velvet-lined, zippered case. All tools made from quality materials: SS, agate, and borosilicate glass.

Aldrich IR sample prep kit	Z281743
----------------------------	---------

A complete overview on our offering on tools for IR spectroscopy can be found at sigmaaldrich.com/irtools

Expert Technical Service is only a phone, FAX or email away. If you need help choosing the right reagent, standard or reference material, our technical service representatives will be happy to help you with:

- Product selection
- Obtaining certificates of analysis online
- Using a standard or reference material
- Troubleshooting product performance

EurTechServ@sial.com

techservice@sial.com (US and Canada)

Sigma-Aldrich Worldwide Offices

Argentina

Free Tel: 0810 888 7446
Tel: (+54) 11 4556 1472
Fax: (+54) 11 4552 1698

Australia

Free Tel: 1800 800 097
Free Fax: 1800 800 096
Tel: (+61) 2 9841 0555
Fax: (+61) 2 9841 0500

Austria

Tel: (+43) 1 605 81 10
Fax: (+43) 1 605 81 20

Belgium

Free Tel: 0800 14747
Free Fax: 0800 14745
Tel: (+32) 3 899 13 01
Fax: (+32) 3 899 13 11

Brazil

Free Tel: 0800 701 7425
Tel: (+55) 11 3732 3100
Fax: (+55) 11 5522 9895

Canada

Free Tel: 1800 565 1400
Free Fax: 1800 265 3858
Tel: (+1) 905 829 9500
Fax: (+1) 905 829 9292

Chile

Tel: (+56) 2 495 7395
Fax: (+56) 2 495 7396

China

Free Tel: 800 819 3336
Tel: (+86) 21 6141 5566
Fax: (+86) 21 6141 5567

Czech Republic

Tel: (+420) 246 003 200
Fax: (+420) 246 003 291

Denmark

Tel: (+45) 43 56 59 00
Fax: (+45) 43 56 59 05

Finland

Tel: (+358) 9 350 9250
Fax: (+358) 9 350 9255

France

Free Tel: 0800 211 408
Free Fax: 0800 031 052
Tel: (+33) 474 82 28 88
Fax: (+33) 474 95 68 08

Germany

Free Tel: 0800 51 55 000
Free Fax: 0800 64 90 000
Tel: (+49) 89 6513 0
Fax: (+49) 89 6513 1160

Hungary

Ingyenes telefonszám: 06 80 355 355
Ingyenes fax szám: 06 80 344 344
Tel: (+36) 1 235 9063
Fax: (+36) 1 269 6470

India

Telephone

Bangalore: (+91) 80 6621 9400
New Delhi: (+91) 11 4358 8000
Mumbai: (+91) 22 2570 2364
Hyderabad: (+91) 40 4015 5488
Kolkata: (+91) 33 4013 8003

Fax

Bangalore: (+91) 80 6621 9650
New Delhi: (+91) 11 4358 8001
Mumbai: (+91) 22 4087 2364
Hyderabad: (+91) 40 4015 5488
Kolkata: (+91) 33 4013 8000

Ireland

Free Tel: 1800 200 888
Free Fax: 1800 600 222
Tel: (+353) 402 20370
Fax: (+353) 402 20375

Israel

Free Tel: 1 800 70 2222
Tel: (+972) 8 948 4100
Fax: (+972) 8 948 4200

Italy

Tel: (+39) 02 3341 7310
Fax: (+39) 02 3801 0737

Japan

Tel: (+81) 3 5796 7300
Fax: (+81) 3 5796 7315

Korea

Free Tel: (+82) 80 023 7111
Free Fax: (+82) 80 023 8111
Tel: (+82) 31 329 9000
Fax: (+82) 31 329 9090

Malaysia

Tel: (+60) 3 5635 3321
Fax: (+60) 3 5635 4116

Mexico

Free Tel: 01 800 007 5300
Free Fax: 01 800 712 9920
Tel: (+52) 722 276 1600
Fax: (+52) 722 276 1601

The Netherlands

Free Tel: 0800 022 9088
Free Fax: 0800 022 9089
Tel: (+31) 78 620 5411
Fax: (+31) 78 620 5421

New Zealand

Free Tel: 0800 936 666
Free Fax: 0800 937 777
Tel: (+61) 2 9841 0555
Fax: (+61) 2 9841 0500

Norway

Tel: (+47) 23 17 60 00
Fax: (+47) 23 17 60 10

Poland

Tel: (+48) 61 829 01 00
Fax: (+48) 61 829 01 20

Portugal

Free Tel: 800 202 180
Free Fax: 800 202 178
Tel: (+351) 21 924 2555
Fax: (+351) 21 924 2610

Russia

Tel: (+7) 495 621 5828
Fax: (+7) 495 621 5923

Singapore

Tel: (+65) 6779 1200
Fax: (+65) 6779 1822

Slovakia

Tel: (+421) 255 571 562
Fax: (+421) 255 571 564

South Africa

Free Tel: 0800 1100 75
Free Fax: 0800 1100 79
Tel: (+27) 11 979 1188
Fax: (+27) 11 979 1119

Spain

Free Tel: 900 101 376
Free Fax: 900 102 028
Tel: (+34) 91 661 99 77
Fax: (+34) 91 661 96 42

Sweden

Tel: (+46) 8 742 4200
Fax: (+46) 8 742 4243

Switzerland

Free Tel: 0800 80 00 80
Free Fax: 0800 80 00 81
Tel: (+41) 81 755 2828
Fax: (+41) 81 755 2815

United Kingdom

Free Tel: 0800 717 181
Free Fax: 0800 378 785
Tel: (+44) 1747 833 000
Fax: (+44) 1747 833 313

United States

Toll-Free: 800 325 3010
Toll-Free Fax: 800 325 5052
Tel: (+1) 314 771 5765
Fax: (+1) 314 771 5757

Vietnam

Tel: (+84) 3516 2810
Fax: (+84) 6258 4238

Internet

sigma-aldrich.com

*Enabling Science to
Improve the Quality of Life*

Order/Customer Service (800) 325-3010 • Fax (800) 325-5052
Technical Service (800) 325-5832 • sigma-aldrich.com/techservice
Development/Custom Manufacturing Inquiries **SAFC® (800) 244-1173**
Safety-related Information sigma-aldrich.com/safetycenter

World Headquarters
3050 Spruce St.
St. Louis, MO 63103
(314) 771-5765
sigma-aldrich.com